

EP-M260

Medium Size Metal 3D Printer



EP-M260

The EP-M260 is an industrial metal 3D printer that uses advanced metal powder bed fusion (MPBF) technology. It is capable of easily and quickly converting CAD data into high-performance, complex structure metal parts. The 3D printer is an ideal choice for medium sized parts and small batch production.



CONSISTENT PERFORMANCE

- · Innovative gas flow management and optimized filter system ensure a stable building environment
- · Outstanding sealing capability optimizes oxygen content
- · Precise laser beam quality control



HIGH PRODUCTIVITY

- · Dual-Laser system equipped with build volume of 266x266x390mm³
- · Non-stop operation during filter change
- · Optimized recoating strategy shortens coating time




RELIABLE AND EASY OPERATION

- · Convenient powder recycling systems and glove box structure minimize powder contact
- · Intelligent software ensures less human intervention
- · Real-time monitoring of the production environment and building process



LOW OPERATION COST

- · Quantitative powder feeding and coating ensure less powder waste
- · Advanced filtration system significant increases filter lifetime
- · Low inert gas consumption during purging and operation









TECHNICAL SPECIFICATIONS

EP-M260

Machine Model	EP-M260
Build Volume (XxYxZ)	266x266x390mm³
Optical System	Fiber Laser, 500W/1000W (single or dual-laser optional)
Spot Size	70~100μm
Max Scan Speed	8m/s
Building Speed (1)	Single laser: 15~35cm³/h Dual laser: 25~53cm³/h
Layer Thickness	20-120μm
Material	Titanium Alloy, Aluminium Alloy, Nickel Alloy, Maraging Steel, Stainless Steel, Cobalt Chrome, Copper Alloy, etc.
Power Supply	380V, 50/60Hz, 10KW, 24A(Dual laser: 12KW, 30A)
Gas Supply	Ar/N ₂
Oxygen Content	≤100 ppm
Dimension (WxDxH)	2800x1300x2400mm
Weight	2900kg
Software	EP Control, EPHatch
Input Data Format	STL or other Convertible File

⁽ ${\bf 1}$) Building speed depends on the process parameter, material and laser etc.

^{*} EPLUS 3D reserves the right to explain any alteration of the specifications and pictures.